Index

SUBJECTS

Absorption through damaged skin quantified (Summary), 239
Acne, longterm antibiotics and bowel flora (Summary), 232
Acne vulgaris:
  benzoyl peroxide versus topical erythromycin, 199
  dose–response study of 13-cis-retinoic acid, 333
  ineffective drugs, 371
  persistent, prednisolone or oestrogen, 345
  treated with ethyl lactate (Summary), 228
Actin distribution in epidermis (Summary), 233
Actinic prurigo treated by thalidomide, 467
Acute febrile neutrophilic dermatosis treated with colchicine, 99
Adenylate cyclase activity in keratinocytes, 541
Adrenoreceptor response in atopic eczema (Summary), 227
Albinism, prenatal diagnosis (Summary), 231
Alcohol causing acute urticaria, 723
Amyloid P component and fibronectin in erythropoietic protoporphyria, 267
Amyloidosis:
  in arthropathic psoriasis, 205
  localized cutaneous, immunofluorescence and histochemical studies, 277
  systemic and bullae (Correspondence), 628
Angio-oedema, hereditary, and trauma, 189
Angio-oedema, hereditary, with lupus erythematosus-like disease, 717
Antibiotics for acne and bowel flora (Summary), 232
Antibiotics against superficial fungus antibodies, 69
Antipsoriatic drugs assayed in hairless mice, 25
Arotenoid in solar keratoses and squamous epitheliomata (Summary), 244
Aspirin and food additive intolerance in urticaria (Summary), 108
Atopic and seborrhoeic dermatitis in infancy, diagnosis, 633
Atopic and seborrhoeic dermatitis in infants, IgE levels, 639
Atopic eczema:
  and adrenoreceptor response (Summary), 227
  and defective lymphocyte cyclic AMP (Summary), 220
  and essential fatty acids (Summary), 230
  and IgG_4 (Summary), 220
  T-lymphocyte subsets, 411
Atopy and aspirin intolerance (Summary), 108

Balloon cell melanoma, 617
Basal cell carcinoma, laminin and collagen, 163
Basal cell naevus syndrome, immunology and etretinate therapy (Summary), 109
Basement membrane components and local glucocorticosteroids, 171
B-cell lymphomas in skin, cell population, 395
Benzoyl peroxide verus topical erythromycin in acne vulgaris, 199
$\beta 2$ microglobulin in skin tumours (Summary), 222
Betamethasone ointment dilution (Correspondence), 248, 250
Betamethasone-17-valerate in emulsifying ointment (Correspondence), 251
Betamethasone-17-valerate in emulsifying ointment, stability and blanching effect (Correspondence), 250
Biochemistry. Metabolic changes at edge of psoriatic lesion, 647
Bleomycin-induced toxicity in rat skin resembling human scleroderma, 679
Book reviews:
  Allergic Contact Dermatitis to Simple Chemicals—A Molecular Approach. G.Dupuis and C.Benezra, 379
  Andrews' Diseases of the Skin—Clinical Dermatology. A.N.Domonkos, H.L.Arnold and R.B.Odam, 739
  Bleeding Disorders. Investigation and Management. G.I.C.Ingram, M.Brozovic and N.G.P.Slater, 739
  Clinico-Pharmacological Models for the Assay of Topical Corticoids. H.Wendt and P.J.Frosch, 631
  Colour Atlas of Dermatology. L.K.Bhutani, 740
  Dermatology for the House Officer. P.J.Lynch, 127
  Hair Transplantation for the Treatment of Male Pattern Baldness. C.P.Vallis, 253
  Lymphoproliferative Diseases of the Skin. Edited by M.Goos and E.Christophers, 127
  Neurofibromatosis (Von Recklinghausen Disease), Genetics, Cell Biology and Biochemistry. Edited by V.M.Riccardi and J.J.Mulvihill, 505
  Occupational and Industrial Dermatology. H.I.Maibach and G.A.Gellin, 379
  Optoelectronics in Medicine: Proceedings of the 5th International Congress, Laser 81, Edited by W.Waidelich, 254
  Orale Photochemotherapie. By F.Gschnait, 505
  Physics in Physiotherapy—Conference Report Series No 35. Edited by M.F.Docker, 253
  Progress in Diseases of the Skin. Volume I. Edited by R.Fleischmajer, 128
  Skin Surgery, 5th Edition. Edited by E.Epstein and E.Epstein, Jr, 254
  Tissue Growth Factors. Edited by R.Baserga, 631
Bullae, trauma-induced, in systemic amyloidosis and plasma cell dyscrasia (Correspondence), 628

Calmodulin levels in psoriasis, 217
Castration and testosterone effect on mouse vibrissae, 321
Clotrimazole compared with sulconazole nitrate in treating dermatophytosis, 195
Coal tar, pharmacological variability (Correspondence), 628
Coal tar, pharmacological variability (Correspondence, reply), 629
Colchicine in Sweet's syndrome, 99
Collagen:
  biosynthesis and local glucocorticosteroid, 171
  skin content (Correspondence), 737
  type IV and V in basal cell carcinoma, 163
Comedones induced by tetradecane, 573
Comedones open and closed (Summary), 228
Creams and ointments examined microscopically (Summary), 229

Danazol in lupus erythematosus-like disease and angio-oedema, 717
Dapsone in dermatitis herpetiformis, 91
Delusions of parasitosis, 485
Dermatitis herpetiformis and gliadin antibodies, 673
Dermatitis herpetiformis, pharmacokinetics of dapsone, 91
Dermatitis, seborrhoeic and atopic in infants, diagnosis, 633
Dermatitis, seborrhoeic and atopic in infants, IgE levels, 639
Dermatopathology and the clinician (Summary), 110
Dermatophyte infection and immune responses (Correspondence), 124
Dermatophytoses comparison of sulconazole nitrate and clotrimazole in treatment, 195
Dermatophytosis and immunity from *T. quinckeanum* (Summary), 221
Dermatoses of hands and arms in Netherlands (Summary), 107
Dermis in psoriasis, mechanical properties (Summary), 240
Dermo-epidermal junction studies (Summary), 240
Diffusion barriers in skin compared, 549
Dispase for separating epidermal sheet, 555
Dithranol:
  irritation in normal and psoriatic subjects, 307
  short term, in psoriasis (Summary), 243
  and UV-A phototherapy (DUVA) for psoriasis, 457
Dowling–Degos disease is autosomal dominant, 473
Drugs ineffective in acne vulgaris, 371
Dystrophic epidermolysis bullosa with absence of skin, 477

E. coli and pyoderma gangrenosum (Summary), 108
Elastic fibres in skin lymphatics, 561
Enzyme activity in recessive dystrophic epidermolysis bullosa, 687
Enzyme deficiencies in the porphyrias, 729
Epidermal cell proliferation *in vitro*, effect of methotrexate, 45
Epidermal differentiation and actin (Summary), 233
Epidermal keratin proteins, limited cleavage (Summary), 234
Epidermal nuclear immunofluorescence (Correspondence), 504
Epidermal sheet separated by dispase, 555
Epidermis, effects of low dose ionizing irradiation (Summary), 236
Epidermolysis bullosa:
  diagnosis, 621
  dystrophic, with skin absence, 477
  keratinocyte abnormalities (Summary), 233
  recessive dystrophic increased protease collagenase activity, 687
Erythema, UV-induced, mechanism (Correspondence), 735
Erythema, UV-induced, mechanism (Correspondence, reply), 736
Erythema, ultraviolet dosage in normal skin, 1
Erythromycin topically versus benzoyl peroxide in acne vulgaris, 199
Erythropoietic protoporphyria, amyloid P component and fibronectin, 267
Essential fatty acids and atopic eczema (Summary), 230
Ethyl lactate for acne vulgaris (Summary), 228
Etretinate effects on normal skin (Summary), 230
Etretinate in basal cell naevus syndrome (Summary), 109
Eunuchs sweat rate increased with testosterone (Summary), 245

'Facies Voltarien' with nephritis (Summary), 115
Farmyard pox: parapox virus infection in man, 725
Fatty acids in sebaceous glands (Summary), 238
Favus, the mouse as an animal model (Summary), 232
Fibrin microclot generation in psoriasis, 33
Fibrinolytic activity in skin assessed (Summary), 235
Fibromatosis, hyaline juvenile, 609
Fibronectin and amyloid P component in erythropoietic protoporphyria, 267
Fungal infection and class-specific antibodies, 69

Germinative epidermis evaluated, 433
Gliadin antibodies increased in dermatitis herpetiformis and pemphigoid, 673
Glucocorticoid receptor in human skin (Summary), 222
Glucocorticosteroid local effect on collagen biosynthesis and basement membrane, 171
Glycosaminoglycans in psoriasis (Summary), 231
Granuloma annulare and lysyl oxidase (Summary), 245
Granuloma annulare, sweat gland disturbances, 705
Growth rate epidermal cells in psoriasis, 533

Haemotoporphyrin-induced keloid, immunofluorescence findings, 263
Hair loss following lithium (Correspondence), 503
Hand and arm dermatitis in Netherlands (Summary), 107
Hepatic toxicity in psoriasis treated with methotrexate (Summary), 225
Hepatic toxicity of ketoconazole (Correspondence), 376
Hereditary angio-oedema and trauma, 189
Herpes gestationis and polymorphic eruption of pregnancy, 147
Hirsutism investigations (Summary), 224
Histiocytosis, sea-blue, with skin involvement, 355
History conditioning the present? (Summary), 110

Hyaline fibromatosis, juvenile, 609
Hydrocortisone 17-butyrate blood levels after percutaneous absorption (Summary), 246
Hydroquinone creams causing nail staining, 363
Hyperkeratotic dermatitis of the palms (Correspondence), 247
Hypersensitivity affected by UV-C, 63

Ichthyosis, X-linked recessive, steroid sulphatase determination, 567
Idoxuridine topically and squamous carcinoma (Correspondence), 501
IgG_4 in atopic eczema (Summary), 220
Immune deficiency and multiple viral warts, 211
Immune responses in tinea imbricata, 581
Immunity and dermatophytosis caused by *T. quinckeanum* (Summary), 221
Immunofluorescence:
  epidermal nuclear (Correspondence), 504
  findings in haematoporphyrin-induced keloid, 263
  histochemistry of cutaneous amyloidosis, 277
  in pyoderma gangrenosum, 287
Immunohistochemistry of proteglycans in systemic sclerosis, 257
Immunology:
  alkaline phosphatase in diagnosis of pemphigus vulgaris, 77
  effects of UV-C on delayed hypersensitivity, 63
  humoral and cell-mediated immunity to papillomavirus in warts, 665
  of lymphomatoid papulosis, 381
Infection. Parapox virus and farmyard pox, 725
Interferon in blister fluid in psoriasis, 295
Irradiation effects on epidermis (Summary), 236

Juvenile hyaline fibromatosis, 609

Keloid induced by haematoporphyrin, immunofluorescence, 263
Keratin proteins, proteolytic cleavage (Summary), 234
Keratinocytes and adenylate cyclase activity, 541
Ketoconazole and hepatic toxicity (Correspondence), 376

Laminin, type IV and type V collagen in basal cell carcinoma, 163
Langerhans cells:
  functional and phenotypic analysis, 129
  in lichen planus (Correspondence), 736
  in lichen planus (Correspondence, reply), 737
  and T-cell responses, 139
  T6-positive cells in human dermis, 423
Lectin binding in human skin (Summary), 242
Leprosy, borderline-lepromatous and cytomegalovirus infection (Case Report), 113
Leukotriene B_4-like material in psoriasis (Summary), 225
Lichen planus and Langerhans cells (Correspondence), 736
Lichen planus and liver disease (Correspondence), 375
Light eruption, papular polymorphic, 153
Linear IgA dermatosis (Case Report), 116
Lipodystrophy, partial, and nephritis (Case Report), 115
Lipogenesis in preputial gland stimulated by progesterone and oestrogen (Summary), 223
Lithium and hair loss (Correspondence), 503
Lithium salts and psoriasis (Summary), 224
Livedo, racemose, and neurological lesions (Correspondence), 501
Liver disease and lichen planus (Correspondence), 375
Lupus erythematosus:
  treated by thalidomide (Summary), 109
  treated with thalidomide, 461
  with polyneuropathy (Case Report), 114
Lupus erythematosus-like disease and hereditary angio-oedema, 717
Lymphatics in skin and elastic fibres, 561
Lymphocyte function after long-term PUVA, 445
Lymphoma, cutaneous malignant epidermotropic (Case Report), 120
Lymphomas, B-cell, cell population, 395
Lymphomatoid papulosis, immunology, cytochemistry and ultrastructure, 381
Lysyl oxidase in granuloma annulare and necrobiosis lipoidica (Summary), 245

Macrophage activity in psoriasis (Summary), 241
Mast cells in incisional wounds, 179
Melanoma and pigmented nail streaks, 367
Melanoma, balloon cell, 617
Melanoma cell pigmentation stimulated by trimethylpsoralen, 525
Melanosome dispersion and prostaglandins (Summary), 226
Merkel cell tumour, 711
Methotrexate and epidermal proliferation *in vitro*, 45
Methotrexate and liver damage in psoriasis (Summary), 225
Methotrexate inhibits polymorphonuclear leucocyte chemotaxis in psoriasis, 451
8-Methoxypsoralen in psoriasis, a study, 519
Methoxypsoralen locally and tumour formation, 507
Metronidazole cream (1%) for rosacea, 327
Microscopy in examining ointments and creams (Summary), 229

Nail pigmentation in secondary melanoma, 367
Nail staining from hydroquinone creams, 363
Nails, human, transmission of optical radiation, 11
Necrobiosis lipoidica and lysyl oxidase (Summary), 245
Necrobiosis lipoidica, sweat gland disturbances in, 705
Neurological lesions and racemose livedo (Correspondence), 501
News and Notices, 255, 380, 506, 632, 741
Non-Hodgkin's lymphoma in skin, cell population, 395

Oestrogen and preputial gland lipogenesis (Summary), 223
Oestrogen or prednisolone in persistent acne vulgaris, 345
Ointments and creams examined microscopically (Summary), 229
Omenn syndrome: reticulo-endotheliosis with eosinophilia and immunodeficiency (Case Report), 118
Ophthalmological side-effects of 13-cis-retinoid therapy (Correspondence), 627
Optical radiation transmitted through nails, 11

Ornithine decarboxylase induction in psoralen treated epidermis for UV-A sunscreen potency, 17

Palms, hyperkeratotic dermatitis (Summary), 247
Papillomavirus type I in human warts, 665
Papular eruption with elimination of papillary oedema, immunopathology (Summary), 229
Papular polymorphic light eruption, an immunoperoxidase study, 153
Parapox infection and farmyard pox, 725
Parasitosis, delusions 485
PEEPO, immunopathological studies (Summary), 229
Pemphigoid and gliadin antibodies, 673
Pemphigus vulgaris, alkaline phosphatase immuno-enzymatic diagnostic technique, 77
Penicillamine in epidermis, 441
Pharmacokinetics of dapsone in dermatitis herpetiformis, 91
Phospholipase A_2 activity in psoriasis, 103
Phospholipase A_2 activity in psoriasis (Summary), 227
Phototumorigenic potential of 8-MOP and 5-MOP compared, 507
Physical impairment in physicians, an open letter (Correspondence), 738
Pigment streaks in nail from melanoma, 367
Pigmentation of melanoma cells stimulated by trimethylpsoralen, 525
Pityriasis alba, extensive, 83
Pityriasis rosea, recent upper respiratory tract infection, 587
Pityriasis rubra pilaris, retinol binding protein (Correspondence), 375
Pityriasis rubra pilaris, ultrastructure and retinoid therapy, 653
Plasma cell dyscrasia and bullae (Correspondence), 628
Plasminogenic activator activity in psoriasis, 39
Polymorphic light eruption, 153
Polymorphonuclear chemotaxis and methotrexate, 451
Polyneuropathy in lupus erythematosus (Case Report), 114
Porphyria cutanea tarda, hydroxychloroquine versus phlebotomy, 593
Porphyrias and enzyme deficiencies, 729
Prednisolone or oestrogen in persistent acne vulgaris, 345
Pregnancy polymorphic eruption and herpes gestationis, 147
Prenatal diagnosis of oculocutaneous albinism (Summary), 231
Progesterone and preputial gland lipogenesis (Summary), 223
Prostaglandins and melanosome dispersion (Summary), 226
Protease inhibitor deficiencies in Weber-Christian disease (Case Report), 110
Psoriasis
  and calcium metabolism, 217
  and dithranol irritant reaction, 307
  and leukotriene B_4-like material (Summary), 225
  and macrophage activity (Summary), 241
  and phospholipase A_2 activity, 227
  and plasma zinc, 301
  and short term dithranol (Summary), 243
  and topical 8-methoxypsoralen, 519
  antipsoriatic drugs evaluated in hairless mice, 25
  arthropathic, and secondary amyloidosis, 205
  correlation of epidermal plasminogenic activator activity with disease activity, 39
  effect of methotrexate on polymorphonuclear chemotaxis, 451
  increased urinary glycosaminoglycans (Summary), 231
  influence of treatment on fibrin microclot formation, 33
  interferon in suction blister fluid, 295
  metabolic changes at edge of lesion, 647
  methotrexate and liver damage (Summary), 225
  phospholipase A_2 activity in epidermis, 103
  release of lysosomal enzymes (Summary), 224
  treated by dithranol–UV-A, 457
  treated by long-term PUVA and lymphocyte function, 445
  treated by razoxane, T-cell subpopulations (Summary), 221
Psoriatic dermis, mechanical properties (Summary), 240
Psoriatic epidermal cell growth rate, 533
PUVA and lymphocyte function, 445
Pyoderma gangrenosum, immunofluorescent findings, 287
Pyoderma gangrenosum treated by intestinal decontamination (Summary), 108

Razoxane in psoriasis (Summary), 221
Reticulate pigmented anomaly of the flexures is autosomal dominant, 473
Reticulo-endotheliosis with eosinophilia and immunodeficiency (Case Report), 118
13-cis-retinoic acid in acne vulgaris, 333
13-cis-retinoic acid in rosacea (Summary), 243
Retinoid therapy and ultrastructure of pityriasis rubra pilaris, 653
13-cis-retinoid ophthalmological side-effects (Correspondence), 627
Retinol binding protein in pityriasis rubra pilaris (Correspondence), 375
Ro13-6298 for solar keratoses and squamous epitheliomata (Summary), 244
Rosacea treated with 1% metronidazole cream, 327
Rosacea treated with 13-cis-retinoic acid (Summary), 243

Sarcoidosis, annular vasculitis (Correspondence), 123
Scalp surface lipid (Correspondence), 123
Scleroderma compared with bleomycin-induced toxicity in rat skin, 679
Sea-blue histiocytosis with cutaneous involvement, 355
Sebaceous gland ultrastructure (Summary), 237
Sebaceous glands, fatty acid methyl esters (Summary), 238
Seborrhoeic and atopic dermatitis in infants, IgE levels, 639
Seborrhoeic dermatitis in infants and atopic dermatitis, diagnosis, 633
Skin:
  collagen content (Correspondence), 737
  damaged, absorption quantified (Summary), 239
  diffusion barriers compared, 549
  etretinate effects (Summary), 230

Skin (*cont.*)
fibrinolytic activity assessed (Summary), 235
lectin binding studies (Summary), 242
transparency quantified, 315
tumours and β2 microglobulin (Summary), 222
Squamous carcinoma and topical idoxuridine (Correspondence), 501
Squamous epitheliomata treated with arotenoid (Ro13-6298) (Summary), 244
Solar keratoses treated with Ro13-6298 (Summary), 244
Steroid sulphatase activity in X-linked recessive ichthyosis, 567
Stratum corneum, analysis of non-ionic detergent-soluble material (Summary), 234
Stratum corneum studies (Summary), 238
Sulconazole nitrate compared with clotrimazole in treating dermatophytoses, 195
Sweat gland disturbances in granuloma annulare and necrobiosis lipoidica, 705
Sweat rate in eunuchs with testosterone (Summary), 245
Sweet's syndrome treated with colchicine, 99
Systemic sclerosis skin and proteoglycans, 257

T-cells:
responses and Langerhans cells, 139
subpopulations in razoxane treated psoriasis (Summary), 221
in cutaneous T-cell lymphomas (Summary), 219
Testosterone and castration, effect on mouse vibrissae, 321
Testosterone in eunuchs increases sweat rate (Summary), 245
Tetradecane-induced comedones examined, 573
Thalidomide:
for discoid lupus erythematosus, 461
in actinic prurigo, 467
in lupus erythematosus (Summary), 109
[^{3}H]thymidine and 67 K polypeptide to evaluate germinative epidermis, 433
Tinea imbricata, immune responses, 581
T-lymphocyte subsets in atopic eczema, 411
T6-positive cells in human dermis, 423
Treatment:
Colchicine for Sweet's syndrome, 99
Benzoyl peroxide versus topical erythromycin in acne vulgaris, 199
Dithranol–UV-A phototherapy for psoriasis, 457
Drugs ineffective in acne vulgaris, 371
Familial lupus erythematosus-like disease and angio-oedema treated with danazol, 717
Treatment for trigeminal trophic ulceration, 601
Hydroxychloroquine versus phlebotomy in porphyria cutanea tarda, 593
Long-term PUVA and lymphocyte function, 445
Prednisolone or oestrogen for persistent female acne, 345
13-cis-retinoic acid in acne vulgaris, 333
Rosacea treated with 1% metronidazole cream, 327
Sulconazole nitrate compared with clotrimazole in dermatophytoses, 195
Thalidomide for discoid lupus erythematosus, 461
Thalidomide for lupus erythematosus (Summary), 109
Thalidomide in actinic prurigo, 467
T. quinckeanum causing immunity and dermatophytosis (Summary), 221
Trichothiodystrophy—BIDS, IBIDS and PIBIDS? (Correspondence), 247
Trigeminal trophic ulceration cured, 601
Trimethylpsoralen and stimulation of pigmentation in melanoma cells, 525
Tumours produced by methoxypsoralen, 507

Ultrastructure of pityriasis rubra pilaris and retinoid therapy, 653
Ultraviolet erythema mechanism (Correspondence), 735
Ultraviolet erythema mechanism (Correspondence, reply), 736
Ultraviolet radiation doses for erythema in normal skin, 1
Urticaria
and vasculitis, histological and immunopathological changes, 695
chronic. Aspirin and food additive intolerance (Summary), 108
from alcohol, 723
vasculitis with shock, leucopenia and thrombocytopenia, 605
UV-A sunscreen potency tested by ornithine decarboxylase induction in psoralen-treated epidermis, 17
UV-C effects on delayed hypersensitivity, 63

Vasculitis
and urticaria, histological and immunopathological changes, 695
annular, in sarcoidosis (Correspondence), 123
urticarial, with shock, leucopenia and thrombocytopenia, 605
Vibrissae of mice, effect of castration and testosterone, 321
Viral warts and immune deficiency, 211

Warts, humoral and cell-mediated immunity to papillomavirus, 665
Warts, multiple viral, and immune deficiency, 211
Weber-Christian disease, protease inhibitor deficiencies and traumatic swellings (Case Report), 110
Wiskott-Aldrich syndrome, a possible variant, 211
Woolly hair naevus with triangle hairs (Case Report), 111

Zinc, plasma in psoriasis, 301

AUTHORS

Aas, E. *see* Koppang, H.S.
Ackerman, A.B. *see* Ragaz, A.
Adams, S.J., Cunliffe, W.J. and Cooke, E.M. The effects of longterm antibiotics given for acne vulgaris on the bowel flora of patients and their families (Summary), 232

AFTIMOS, B.G. *see* ZAYNOUN, S.T.
AGACHE, P. *see* KIENZLER, J.L.
AHAD, R.A. *see* SWAIN, A.F.
ALPER, J.C. *see* BORKOVIC, S.P.
ALVES, A., THODY, A.J. and SHUSTER, S. Both progesterone and oestrogen stimulate preputial gland lipogenesis (Summary), 223
ARCHER, C.B., MORLEY, J. and MACDONALD, D.M. Alpha- and beta-adrenoreceptor responsiveness in atopic eczema—*in vivo* observations (Summary), 227
ARCHER, C.B., MORLEY, J. and MACDONALD, D.M. Defective lymphocyte cyclic AMP responsiveness in atopic eczema (Summary), 220
AUGUST, P.J., BULLOCK, D.E., CARR, M.M., CHALMERS, R.J.G., HUBBARD, H.C. and SMITH, G.N. Hydrocortisone 17-butyrate blood levels after percutaneous absorption (Summary), 246
AUSTAD, J. and MØRK, N.-J. Effects of short-wave ultraviolet light (UV-C) on delayed hypersensitivity in the guinea-pig, 63

BAHUTH, N. *see* ZAYNOUN, S.T.
BARNETSON, R.ST.C. *see* KIEFFER, M.
BARNETSON, R.ST.C., MERRETT, T.G., MERRETT, J. and BURR, M. IgG_4 in atopic eczema (Summary), 220
BARNHILL, R.L. *see* MORTIMER, P.S.
BARTER, S. *see* KOH, M.S.
BARTER, S., KOH, M., MAJEWSKI, B.B.J., PRICE, R.G. and RHODES, E.L. Lysyl oxidase activity in granuloma annulare and necrobiosis lipoidica (Summary), 245
BARTON, S., BLACK, D., MARKS, R., SATHYA, A.S. and PATTERSON, I. The effects of 'low dose' ionizing irradiation on epidermal structure and function (Summary), 236
BARTON S. and MARKS, R. Improvements in the precision of quantitative assessment of fibrinolytic activity in skin (Summary), 235
BAUER, F.W. *see* VAN DE KERKHOF, P.C.M.
BEASTALL, G. *see* RENTOUL, J.R.
BELL, C.M. and SKERROW, C.J. Lectin binding studies on normal and abnormal human skin (Summary), 242
Bell, C.M. *see* SKERROW, C.J.
BERGER, C.L. *see* CHU, A.C.
BERNHARD, D. *see* MUHLBAUER, J.E.
BESSER, G.M. *see* DARLEY, C.R.
BESSONE, E. *see* CAINELLI, T.
BEVERIDGE, E.G. *see* SMITH, J.F.
BHAN, A.K. *see* MUHLBAUER, J.E.
BHAN, A.K. *see* MURPHY, G.F.
BHOGAL, B. *see* BREATHNACH, S.M.
BHOGAL, B. *see* JURECKA, W.
BHOGAL, B. *see* RUSSELL JONES, R.
BIRNIE, G. *see* CZARNECKI, D.
BKERKE, J.R., LIVDEN, J.K., DEGRE, M. and MATRE, R. Interferon in suction blister fluid from psoriasis lesions, 295
BLACK, A.K. *see* DOWD, P.M.
BLACK, D. *see* BARTON, S.
BLACK, D. *see* HENDLEY, A.
BLACK, J.G. *see* GEORGE, D.
BLACK, M.M. *see* BREATHNACH, S.M.
BLACK, M.M. *see* JURECKA, W.
BLADON, P.T., COOPER, N.F., WRIGHT, R.M., WOOD, E.J. and CUNLIFFE, W.J. Limited proteolytic cleavage of human epidermal keratin proteins (Summary), 234
BLANC, D. *see* KIENZLER, J.L.
BLEUMINK, E. and KLOKKE, A.H. Traumatic swellings in Weber-Christian disease, due to multiple protease inhibitor deficiencies (Case Report), 110
Bloch, K.J. *see* MORISON, W.L.
BLOOMFIELD, F.J. and YOUNG, M.M. Enhanced release of lysosomal enzymes from lithium-stimulated neutrophils in psoriasis (Summary), 224
BOLTON, C. *see* WRIGHT, S.
BONSMANN, G. *see* KNOP, J.
BORKOVIC, S.P., ALPER, J.C. and MCDONALD, C.J. Stimulation of pigmentation in melanoma cells by trimethylpsoralen in the absence of ultraviolet irradiation, 525
BORRONE, C. *see* CROVATO, F.
BOS, J.D. *see* WESTERHOF, W.
BRAATHEN, L.R. and THORSBY, E. Human epidermal Langerhans cells are more potent than blood monocytes in inducing some antigen-specific T-cell responses, 139
BRAIN, S. *see* DOWD, P.M.
BRASSEY, J.E.E. *see* TIDMAN, M.J.
BREATHNACH, S.M., BHOGAL, B., DE BEER, F.C., MELROSE, S.M., BLACK, M.M. and PEPYS, M.B. Immunohistochemical studies of amyloid P component and fibronectin in erythropoietic protoporphyria, 267
BRENNER, S. *see* TUR, E.
BRODIE, M.J. *see* CZARNECKI, D.
BROWN, I.R. *see* KITSON, N.
BULLOCK, D.E. *see* AUGUST, P.J.
BUNDINO, S. *see* ZINA, A.M.
BURKE, B., EADY, E.A. and CUNLIFFE, W.J. Benzoyl peroxide versus topical erythromycin in the treatment of acne vulgaris, 199
BURR, M. *see* BARNETSON, R.STC.
BURTON, J.L. *see* WRIGHT, S.

CAINELLI, T., DI PADOVA, C., MARCHESI, L., GORI, G., ROVAGNATI, P., PODENZANI, S.A., BESSONE, E. and CANTONI, L. Hydroxychloroquine versus phlebotomy in treatment of porphyria cutanea tarda, 593
CALDERON, R.A. and HAY, R.J. Immunity and dermatophytosis caused by *T. quinckeanum* in mice (Summary), 221
CALDERON, R.A. *see* HAY, R.J.
CALLAGHAN, J. *see* WALTON, S.
CALNAN, C.D. *see* LOVELL, C.R.
CAMP, R.D.R. *see* DOWD, P.M.
CANTONI, L. *see* CAINELLI, T.
CARR, M.M. *see* AUGUST, P.J.
CARTER, R.J. *see* MCCORMACK, A.M.
CHADWICK, L. *see* WALTON, S.
CHALMERS, R.J.G. *see* AUGUST, P.J.
CHAMBERS, T.J. *see* RUSTIN, M.H.A.
CHAO, W-R. *see* ZMOLEK, W.W.
CHERRY, G.W. *see* MORTIMER, P.S.
CHRISTOPHERS, E. *see* WALSDORFER, U.
CHU, A.C., BERGER, C.L., EDELSON, R.L., SPITTLE, M., RUSSELL, C. and SMITH, N. Circulating T cells in

cutaneous T-cell lymphoma—a study using monoclonal antibodies against normal and malignant T cells (Summary), 219
CHUANG, T.-Y., PERRY, H.O., ILSTRUP, D.M. and KURLAND, L.T. Recent upper respiratory tract infection and pityriasis rosea: a case–control study of 249 matched pairs, 587
CHYTIL, F. *see* STOLL, D.M.
CLANACHAN, I. *see* FOREMAN, M.I.
CLEDES, J. *see* YOUINOU, P.
COBB, S.J. *see* YATES, V.M.
COBURN, P.R. *see* MARSDEN, J.R.
COENRAADS, P.J. and NATER, J.P. Prevalence of dermatoses of the hands and arms in the Netherlands (Summary), 107
COLLINS, M.J. *see* HAY, R.J.
COLLINS-LECH, C. *see* SOHNLE, P.G.
COOK, A. *see* CZARNECKI, D.
COOKE, E.M. *see* ADAMS, S.J.
COOPER, N.F. *see* BLADON, P.T.
CORBETT, M.F. *see* TIDMAN, M.J.
CORNWELL, G.G., III *see* NORÉN, P.
COTTERILL, J.A. *see* RYATT, K.S.
CROVATO, F., BORRONE, C. and REBORA, A. Trichothiodystrophy—BIDS, IBIDS and PIBIDS? (Correspondence), 247
CROVATO, F., NAZZARI, G. and REBORA, A. Dowling–Degos disease (reticulate pigmented anomaly of the flexures) is an autosomal dominant condition, 473
CUNLIFFE, W.J. *see* ADAMS, S.J.
CUNLIFFE, W.J. *see* BLADON, P.T.
CUNLIFFE, W.J. *see* BURKE, B.
CUNLIFFE, W.J. *see* JONES, D.H.
CZARNECKI, D., FITZSIMONS, C., MACKIE, R.M., BIRNIE, G., COOK, A. and BRODIE, M.J. Comparison of antipyrine metabolism and indocyanine green clearance in psoriatics receiving methotrexate and psoriatics on topical therapy only (Summary), 225
CZERNIELEWSKI, J.M., SCHMITT, D., FAURE, M.R. and THIVOLET, J. Functional and phenotypic analysis of isolated human Langerhans cells and indeterminate cells, 129

DANNO, K., HORIO, T., OZAKI, M. and IMAMURA, S. Topical 8-methoxypsoralen photochemotherapy of psoriasis: a clinical study, 519
DARLEY, C.R., MOORE, J.W., BESSER, G.M., MUNRO, D.D. and KIRBY, J.D. Low dose prednisolone or oestrogen in the treatment of women with late onset or persistent acne vulgaris, 345
DARLEY, C.R. *see* KIRSCH, J.M.
DAS, A.K. *see* JURECKA, W.
DASH, A. *see* RUSSELL JONES, R.
DASH, C.H. *see* WALTON, C.A.
DAVIES, A.C. *see* YOUNG, A.R.
DAWSON, J.B. *see* RYATT, K.S.
DE ANGELIS, E. *see* RUOCCO, V.
DE BEER, F.C. *see* BREATHNACH, S.M.
DE GRAAFF-REITSMA, C.B. *see* WILLEMZE, R.
DE GROOD, R. *see* VAN DE KERKHOF, P.C.M.
DE GROOT, W.P. *see* JÖBSIS, A.C.
DE GRUIJL, F.R. The mechanism of ultraviolet erythema (Correspondence), 735
DE JONG, M.C.J.M. *see* KRAAI, E.J.
DE JONG, M.C.J.M. *see* VELDERS, A.J.
DE LUCA, M. *see* RUOCO, V.
DEGRE, M. *see* BKERKE, J.R.
DI PADOVA, C. *see* CAINELLI, T.
DICK, D.C. *see* FULTON, R.
DIFFEY, B. *see* HINDSON, C.
DIFFEY, B.L. *see* PARKER, S.G.
DOEGLAS, H.M.G. Chronic urticaria: intolerance for aspirin and food additives and relationship with atopy (Summary), 108
DOEGLAS, H.M.G. *see* KRAAI, E.J.
DORVAL, J.C. *see* YOUINOU, P.
DOWD, P.M., BRAIN, S., CAMP, R.D.R., BLACK, A.K., FINCHAM, N.J. and GREAVES, M.W. The detection of leukotriene B_4-like material in psoriasis (Summary), 225
DOWNEY, A. *see* HINDSON, C.
DOWNS MINOR, M.B. *see* MOUNTZ, J.D.
DRIESSEN, L.H.H.M. and VAN SAENE, H.K.F. A novel treatment of pyodermal gangrenosum by intestinal decontamination (Summary), 108
DRIESSEN, L.H.H.M. *see* VAN VOORST VADER, P.C.
DUGARD, P.H. *see* SCOTT, R.C.
DYKES, P.J., KING, C.S., WILLIAMS, D.W. and MARKS, R. Analysis of the non-ionic detergent-soluble material of human stratum corneum (Summary), 234

EADY, E.A. *see* BURKE, B.
EADY, R.A.J. and TIDMAN, M.J. Diagnosing epidermolysis bullosa, 621
EADY, R.A.J., GUNNER, D.B. and RODECK, C.H. Prenatal diagnosis of oculocutaneous albinism by electron microscopic observations of fetal skin obtained *in utero* (Summary), 231
EADY, R.A.J. *see* LEIGH, I.M.
EADY, R.A.J. *see* TIDMAN, M.J.
EADY, R.A.J. *see* WOJNAROWSKA, F.T.
EDELSON, R.L. *see* CHU, A.C.
ELDER, G.H. Recent advances in the identification of enzyme deficiencies in the porphyrias, 729
ELDER, H.Y. *see* MCEWAN JENKINSON, D.
ELEMA, J.D. *see* VELDERS, A.J.
ENSINK, B.W. and VAN VOORST VADER, P.C. Opthalmological side-effects of 13-cis-retinoid therapy (Correspondence), 627
EYLAN, E. *see* TUR, E.

FAED, M.J.W. *see* WEST, M.R.
FAURE, M.R. *see* CZERNIELEWSKI, J.M.
FEATHER, J.W. *see* RYATT, K.S.
FERGUSON, S.D. *see* FINLAY, A.Y.
FINCHAM, N.J. *see* DOWD, P.M.
FINLAY, A.Y., FERGUSON, S.D. and HOLT, P.J.A. Juvenile hyaline fibromatosis, 609
FINLAY, A.Y. *see* ORMEROD, A.D.
FITZSIMONS, C. *see* CZARNECKI, D.
FOIDART, J.M. *see* OIKARINEN, A.
FOIDART, J.M. *see* VAN CAUWENBERGE, D.

FOLSON, J., GANGE, R.W. and MENDELSON, I.R. Ornithine decarboxylase induction in psoralen treated mouse epidermis used as a test of UV-A sunscreen potency, 17
FOREMAN, M.I., CLANACHAN, I. and KELLY, I.P. Diffusion barriers in skin—a new method of comparison, 549
FORSTER, S., ILDERTON, E., SUMMERLY, R. and YARDLEY, H.J. Raised epidermal phospholipase A_2 activity in the uninvolved skin of psoriasis (Summary), 227
FORSTER, S., ILDERTON, E., SUMMERLY, R. and YARDLEY, H.J. The level of phospholipase A_2 activity is raised in the uninvolved epidermis of psoriasis, 103
FORSTRÖM, S. and LASSUS, A.
FRAKI, J.E., LAZARUS, G.S., GILGOR, R.S., MARCHASE, P. and SINGER, K.H. Correlation of epidermal plasminogen activator activity with disease activity in psoriasis, 39
FRIER, K. *see* YATES, V.M.
FRISCH, B. *see* TUR, E.
FRY, L. *see* SWAIN, A.F.
FULTON, R., DICK, D.C. and MACKIE, R.M. The treatment of rosacea with 13-cis-retinoic acid (Summary), 243

GAMBORG NIELSEN, P. Treatment of rosacea with 1% metronidazole cream. A double-blind study, 327
GANGE, R.W. *see* FOLSON, J.
GASKELL, S. *see* KINGSTON T.
GASKELL, S. *see* PEARSE, A.
GAYLARDE, P.M. *see* SARKANY, I.
GEORGE, D., PROTTEY, C., BLACK, J.G. and VICKERS, C.F.H. Ethyl lactate as a treatment for acne (Summary), 228
GIBSON, J.R. *see* KIRSCH, J.M.
GILGOR, R.S. *see* FRAKI, J.E.
GORI, G. *see* CAINELLI, T.
GOUGH, J. *see* ORMEROD, A.D.
GREAVES, M.W. *see* DOWD, P.M.
GUILLET, G. and JEUNE, R. Urticarial vasculitis with shock, leukopenia and thrombocytopenia, possibly due to anaphylatoxin release, 605
GUNNER, D.B. *see* EADY, R.A.J.

HALPRIN, K.M. *see* TAYLOR, J.R.
HAPPLE, R. *see* KNOP, J.
HARMAN, R.R.M. *see* MANN, R.J.
HARRIST, T.J., BHAN, A.K. and MURPHY, G.F. Langerhans cells in lichen planus (Correspondence, reply), 737
HARRIST, T.J. *see* MUHLBAUER, J.E.
HARRIST, T.J. *see* MURPHY, G.F.
HASPER, M.F. The effect of thalidomide in the treatment of lupus erythematosus (Summary), 109
HASPER, M.F. and KLOKKE, A.H. Woolly hair naevus with triangle hairs (Case Report), 111
HASTIE, I.R. and MILLARD, P.H. The quantification of skin transparency, 315
HATZIS, J., VARELZIDIS, A., TOSCA, A. and STRATIGOS, J. Sweat gland disturbances in granuloma annulare and necrobiosis lipoidica, 705
HAWK, J.L.M. *see* LOVELL, C.R.
HAY, R.J., CALDERON, R.A. and COLLINS, M.J. Experimental mouse favus—a new animal model for dermatophyte infections (Summary), 232
HAY, R.J., REID, S., TALWAT E. and MACNAMARA, K. Immune responses of patients with tinea imbricata, 581
Hay, R.J. *see* CALDERON, R.A.
HENDLEY, A., BLACK, D. and MARKS, R. Mechanical properties of the dermis in psoriasis (Summary), 240
HINDSON, C., DIFFEY, B., LAWLOR, F. and DOWNEY, A. Dithranol–UV-A phototherapy (DUVA) for psoriasis: a treatment without dressings, 457
HINTIKKA, J. *see* OIKARINEN, A.
HOLDEN, C.A., SANDERSON, A.R. and MACDONALD, D.M. The characterization of monoclonal antibodies against $\beta 2$ microglobulin and the common determinant of class 1 HLA heavy chains for use in immunoperoxidase labelling of skin tumours (Summary), 222
HOLMES, R.C. *see* JURECKA, W.
HOLT, P.J.A. *see* FINLAY, A.Y.
HOLT, P.J.A. *see* ORMEROD, A.D.
HORIO, T. *see* DANNO, K.
HORTON, J.J. and MACDONALD, D.M. Balloon cell melanoma: a case report, 617
HORTON, J.J. *see* ZACHARY, C.B.
HUBBARD, H.C. *see* AUGUST, P.J.
HUHTA, K.E. *see* SOHNLE, P.G.
HUNTER, I. *see* SKERROW, C.J.

IBRAHIM, L. and WRIGHT, E.A. Effect of castration and testosterone propionate on mouse vibrissae, 321
ILDERTON, E. *see* FORSTER, S.
ILSTRUP, D.M. *see* CHUANG, T.-Y.
IMAMURA, S. *see* DANNO, K.
INOUE, F. *see* SUEHISA, S.
ISHIKAWA, H. *see* KITABATAKE, M.

JEUNE, R. *see* GUILLET, G.
JIBARD, N. *see* KIENZLER, J.L.
JÖBSIS, A.C., DE GROOT, W.P., MEIJER, A.E.F.H. and VAN DER LOOS, C.M. A new method for the determination of steroid sulphatase activity in leukocytes in X-linked recessive ichthyosis, 567
JOHNSON, M.McI. *see* MILLER, J.A.
JONES, D.H., KING, K., MILLER, A.J. and CUNLIFFE, W.J. A dose–response study of 13-cis-retinoic acid in acne vulgaris, 333
JONES, R.L. *see* MORTIMER, P.S.
JUHLIN L. and VAHLQUIST, C. The influence of treatment of fibrin microclot generation in psoriasis, 33
JURECKA, W., HOLMES, R.C., BLACK, M.M., MCKEE, P., DAS, A.K. and BHOGAL, B. An immunoelectron microscopy study of the relationship between herpes gestationis and polymorphic eruption of pregnancy, 147

KAAMAN, T., PETRINI, B. and WASSERMAN, J. Immune responses in chronic dermatophyte infections (Correspondence), 124
KALLENBERG, C.G.M. *see* VAN VOORST VADER, P.C.

KANERVA, L., LAUHARANTA, J., NIEMI, K.-L. and LASSUS, A. Ultrastructure of pityriasis rubra pilaris with observations during retinoid (etrinate) treatment, 653
KELLY, I.P. *see* FOREMAN, M.I.
KENDALL-TAYLOR, P. *see* WALTON, S.
KENICER, K.J.A. *see* WEST, M.R.
KENNEDY, S. *see* SHARMA, S.C.
KERR, R.E.I. *see* YATES, V.M.
KIEFFER, M. and BARNETSON, R.StC. Increased gliadin antibodies in dermatitis herpetiformis and pemphigoid, 673
KIENZLER, J.L., LEMOINE, M.TH, ORTH, G., JIBARD, N., BLANC, D., LAURENT, R. and AGACHE, P. Humoral and cell-mediated immunity to human papillomavirus type I (HPV-I) in human warts, 665
KIISTALA, U. *see* OIKARINEN, A.
KING, C.S. *see* DYKES, P.J.
KING, K. *see* JONES, D.H.
KING, L.E. *see* STOLL, D.M.
KINGSTON, T. and MARKS, R. Irritant reactions to dithranol in normal subjects and psoriatic patients, 307
KINGSTON, T., GASKELL, S. and MARKS, R. Effects of an arotenoid (Ro13-6298) in the treatment of multiple solar keratoses and squamous cell epitheliomata (Summary), 244
KIRBY, J.D. *see* DARLEY, C.R.
KIRSCH, J.M., GIBSON, J.R. and DARLEY, C.R. The stability and blanching efficiency of betamethasone-17-valerate in emulsifying ointment (Correspondence), 250
KITABATAKE, M., ISHIKAWA, H. and MAEDA, H. Immunohistochemical demonstration of proteoglycans in the skin of patients with systemic sclerosis, 257
KITANO, Y. and OKADA, N. Separation of the epidermal sheet by dispase, 555
KITSON, N., SMYTH, M.P. and BROWN, I.R. Analysis of fatty acid methyl esters derived from isolated human sebaceous glands (Summary), 238
KLIGMAN, A.M. *see* MILLS, O.H.
KLOKKE, A.H. Does history condition the present? (Summary), 110
KLOKKE, A.H. *see* BLEUMINK, E.
KLOKKE, A.H. *see* HASPER, M.F.
KLOKKE, A.H. *see* KRUYT, J.A.
KLOKKE, A.H. *see* VELDERS, A.J.
KNIGHT, A.G. *see* ORMEROD, A.D.
KNOP, J., BONSMANN, G., HAPPLE, R., LUDOLPH, A., MATZ, D.R., MIFSUD, E.J. and MACHER, E. Thalidomide in the treatment of sixty cases of chronic discoid lupus erythematosus, 461
KOH, M.S., MAJEWSKI, B.B.J., BARTER, S. and RHODES, E.L. Increased macrophage activity in psoriasis (Summary), 241
KOH, M. *see* BARTER, S.
KOPPANG, H.S. and AAS, E. Squamous carcinoma induced by topical idoxuridine therapy? (Correspondence), 501
KRAAI, E.J. and VAN SON, W. Partial lipodystrophy ('facies Voltarien') and hypocomplementaemic nephritis (Case Report), 115
KRAAI, E.J., POPPEMA, S., VAN VOORST, VADER, P.C., DOEGLAS, H.M.G. and DE JONG, M.C.J.M. Cutaneous malignant epidermotropic lymphoma, possibly of monocytic origin (Case Report), 120
KRAKOWSKI, A. *see* TUR, E.
KRUYT, J.A., KLOKKE, A.H., ROENHORST, H.W. and THE, T.H. Leprosy, borderline-lepromatous, and cytomegalovirus infection (Case Report), 113
KUIS, W. *see* VELDERS, A.J.
KURBAN, A.K. *see* ZAYNOUN, S.T.
KURLAND, L.T. *see* CHUANG, T.-Y.

LACHAPELLE, J.M. *see* VAN NESTE, D.
LANE, E.B. *see* LEIGH, I.M.
LAPIERE, CH.M. *see* VAN CAUWENBERGE, D.
LASSUS, A., FORSTRÖM S. and SALO, O. A double-blind comparison of sulconazole nitrate 1% cream with clotrimazole 1% cream in the treatment of dermatophytoses 195
LASSUS, A. *see* KANERVA, L.
LAUHARANTA, J. *see* KANERVA, L.
LAURENT, R. *see* KIENZLER, J.L.
LAWLOR, F. *see* HINDSON, C.
LAZARUS, G.S. *see* FRAKI, J.E.
LEIGH, I.M., LANE, E.B., TIDMAN, M.J. and EADY, R.A.J. Abnormalities of keratinocyte culture morphology in epidermolysis bullosa (Summary), 233
LEMOINE, M.TH. *see* KIENZLER, J.L.
LEONARD, J.N. *see* SWAIN, A.F.
LEPAGE, P., *see* PERSINGER, M.A.
LEROY, J.P. *see* YOUINOU, P.
LEVINE, V. *see* TAYLOR, J.R.
LEVISON, D.A. *see* RUSTIN, M.H.A.
LIVDEN, J.K. *see* BJERKE, J.R.
LLOYD, D.H. *see* WHITE, M.I.
LÖÖF, L. *see* ROLLMAN, O.
LOVELL, C.R., HAWK, J.L.M., CALNAN, C.D. and MAGNUS, I.A. Thalidomide in actinic prurigo, 467
LOWE, N.J. Pharmacological variability of crude coal tar (Correspondence, reply), 629
LUBACH, D. and STAMM, T. Generalized racemose livedo and neurological lesions (Correspondence), 501
LUDOLPH, A. *see* KNOP, J.
LYELL, A. Delusions of parasitosis, 485
LYELL, A. Hyperkeratotic dermatitis of the palms (Correspondence), 247

MCCORMACK, A.M., CARTER, R.J., THODY, A.J. and SHUSTER, S. The role of prostaglandins in melanosome dispersion (Summary), 226
MCDONALD, C.J. *see* BORKOVIC, S.P.
MACDONALD, D.M. *see* ARCHER, C.B.
MACDONALD, D.M. *see* HOLDEN, C.A.
MACDONALD, D. M. *see* HORTON, J.J.
MACDONALD, D.M. *see* ZACHARY, C.B.
MACDONALD, K.J.S. *see* WALTON, S.
MCEWAN, JENKINSON, D., ELDER, H.Y., MONTGOMERY, I. and MOSS, V.A. Comparative studies of sebaceous gland ultrastructure (Summary), 237
MCEWAN JENKINSON, D. *see* WHITE, M.I.
MACHER, E. *see* KNOP, J.
MCKEE, P. *see* JURECKA, W.
MACKENZIE, L.A. The analysis of the ultraviolet radiation

doses required to produce erythemal responses in normal skin, 1
MacKie, R.M. *see* Czarnecki, D.
Mackie, R.M. *see* Fulton, R.
MacKie, R.M. *see* Yates, V.M.
McMillan, E.M. and Rowe, D. Plasma zinc in psoriasis: relation to surface area involvement, 301
Macnamara, K. *see* Hay, R.J.
Maeda, H. *see* Kitabatake, M.
Magnus, I.A. *see* Lovell, C.R.
Magnus, I.A. *see* Young, A.R.
Majewski, B.B.J. *see* Barter, S.
Majewski, B.B.J. *see* Koh, M.S.
Mann, R.J. and Harman, R.R.M. Nail staining due to hydroquinone skin-lightening creams, 363
Marchase, P. *see* Fraki, J.E.
Marchesi, L. *see* Cainelli, T.
Marks, J. *see* Walton, S.
Marks, J.M. *see* Marsden, J.R.
Marks, R. *see* Barton, S.
Marks, R. *see* Dykes, P.J.
Marks, R. *see* Hendley, A.
Marks, R. *see* Kingston, T.
Marks, R. *see* Pearse, A.
Marsden, J.R., Coburn, P.R., Marks, J.M. and Shuster, S. Response to short term application of dithranol in psoriasis (Summary), 243
Martin, A. *see* Simpson, N.B.
Masse, R. *see* Youinou, P.
Mathews, N. *see* Ormerod, A.D.
Matre, R. *see* Bjerke, J.R.
Matsumoto, K. *see* Suehisa, S.
Matz, D.R. *see* Knop, J.
Mehta, A. *see* Ryatt, K.S.
Meijer, A.E.F.H. *see* Jobsis, A.C.
Meijer, C.J.L.M. *see* Willemze, R.
Melrose, S.M. *see* Breathnach, S.M.
Mendelson, I.R. *see* Folson, J.
Merrett, J. *see* Barnetson, R.St.C.
Merrett, T.G. *see* Barnetson, R.St.C.
Mier, P.D. *see* Van de Kerkhof, P.C.M.
Mifsud, E.J. *see* Knop, J.
Mihm, C. *see* Muhlbauer, J.E.
Mihm, M.C. *see* Murphy, G.F.
Millard, P.H. *see* Hastie, I.R.
Miller, A.J. *see* Jones, D.H.
Miller, J.A. and Johnson, M.McI. Annular vasculitis in sarcoidosis (Correspondence), 123
Miller, J.P. *see* Zmolek, W.W.
Mills, O.H. and Kligman, A.M. Drugs that are ineffective in the treatment of acne vulgaris, 371
Miossec, P. *see* Youinou, P.
Montgomery, I. *see* McEwan, Jenkinson, D.
Moore, J.W. *see* Darley, C.R.
Morison, W.L., Wimberly, J., Parrish, J.A. and Bloch, K.J. Abnormal lymphocyte function following long-term PUVA therapy for psoriasis, 445
Mørk, N-J. *see* Austad, J.
Morley, J. *see* Archer, C.B.
Morley, P. *see* Rentoul, J.R.
Mortimer, G. *see* Sharma, S.C.
Mortimer, P.S., Cherry, G.W., Jones, R.L., Barnhill, R.L. and Ryan, T.J. The importance of elastic fibres in skin lymphatics, 561
Moss, V.A. *see* McEwan Jenkinson, D.
Motoyoshi, K. The correlation between surface microscopy and dermal histology in tetradecane-induced comedones in rabbit ear skin, 573
Mountz, J.D., Downs Minor, M.B., Turner, R., Thomas, M.B., Richards, F. and Pisko, E. Bleomycin-induced cutaneous toxicity in the rat: analysis of histopathology and ultrastructure compared with progressive systemic sclerosis (scleroderma), 679
Muhlbauer, J.E., Bhan, A.K., Harrist, T.L., Bernhard, D. and Mihm, C. Papular polymorphic light eruption: an immunoperoxidase study using monoclonal antibodies, 153
Munro, D.D. *see* Darley, C.R.
Munro, D.D. *see* Rustin, M.H.A.
Murdoch, W. *see* Norén, P.
Murphy, G.F., Bhan, A.K., Harrist, T.J. and Mihm, M.C. *In situ* identification of T6-positive cells in normal human dermis by immunoelectron microscopy, 423

Naito, K. *see* Takamori, K.
Nater, J.P. *see* Coenraads, P.J.
Nazzari, G. *see* Crovato, F.
Niemi, K.-M. *see* Kanerva, L.
Norén, P., Westermark, P., Cornwell, G.G. and Murdoch, W. Immunofluorescence and histochemical studies of localized cutaneous amyloidosis, 277
Nunzi, E., Parodi, A. and Rebora, A. Immunofluorescence findings in haematoporphyrin-induced keloid, 263

Ogawa, H. *see* Takamori, K.
Oikarinen, A., Peltonen, L., Hintikka, J., Foidart, J.M. and Kiistala, U. A local potent glucocorticosteroid decreases the induction of galactosylhydroxylysyl glucosyltransferase in suction blisters but has no effect on basement membrane structures, 171
Okada, N. *see* Kitano, Y.
Orenberg, E.K. *see* Wilkinson, D.I.
Ormerod, A.D. and Holt, P.J.A. Acute urticaria due to alcohol, 723
Ormerod, A.D., Finlay, A.Y., Knight, A.G., Mathews, N., Stark, J.M. and Gough, J. Immune deficiency and multiple viral warts: a possible variant of the Wiskott–Aldrich syndrome, 211
Ort, N.A. *see* Smith, J.F.
Orth, G. *see* Kienzler, J.L.
Orwin, A. Hair loss following lithium therapy (Correspondence), 503
Ozaki, M. *see* Danno, K.

Parker, G.H. *see* Persinger, M.A.
Parker, S.G. and Diffey, B.L. The transmission of optical radiation through human nails, 11
Parodi A. and Nunzi, E.
Parrish, J.A. *see* Morison, W.L.
Patterson, I. *see* Barton, S.
Pearse, A., Gaskell, S. and Marks, R. Effects of etretinate on epidermal cell production and metabolism in normal skin (Summary), 230

PELTONEN, L. *see* OIKARINEN, A.
PEPYS, M.B. *see* BREATHNACH, S.M.
PERRY, H.O. *see* CHUANG, T.-Y.
PERRY, H.O. *see* POWELL, F.C.
PERSINGER, M.A., LEPAGE, P., SIMARD, J.-P. and PARKER, G.H. Mast cell numbers in incisional wounds in rat skin as a function of distance, time and treatment, 179
PETRINI, B. *see* KAAMAN, T.
PIEPKORN, M. Langerhans cells in lichen planus (Correspondence), 736
PIERARD, G.E. *see* VAN CAUWENBERGE, D.
PISANI, M. *see* RUOCCO, V.
PISKO, E. *see* MOUNTZ, J.D.
PODENZANI, S.A. *see* CAINELLI, T.
POPPEMA, S. *see* KRAAI, E.J.
POPPEMA, S. *see* VELDERS, A.J.
POWELL F.C., SCHROETER, A.L., PERRY, H.O. and SU, W.P.D. Direct immunofluorescence in pyoderma gangrenosum, 287
PRICE, R.G. *see* BARTER, S.
PRIESTLEY, G.C. The increased urinary glycosaminoglycans excretion in psoriasis (Summary), 231
PROTA, G. *see* RUOCCO, V.
PROTTEY, C. *see* GEORGE, D.

RAGAZ, A. and ACKERMAN, A.B. Langerhans cells in lichen planus (Correspondence, reply), 737
RAWLINS, M.D. *see* SMITH, K.
REBORA, A. Lichen planus and liver disease (Correspondence), 375
REBORA, A. *see* CROVATO, F.
REBORA, A. *see* NUNZI, E.
REID, S. *see* HAY, R.J.
RENTOUL, J.R., YOUNG, R.E., BEASTALL, G., WALLACE, M. and MORLEY, P. The investigation of hirsutism (Summary), 224
RETSAS, S. and SAMMAN, P.D. Pigment streaks in the nail plate due to secondary malignant melanoma, 367
RHODES, E.L. *see* BARTER, S.
RHODES, E.L. *see* KOH, M.S.
RICHARDS, F. *see* MOUNTZ, J.D.
RODECK, C.H. *see* EADY, R.A.J.
ROENHORST, H.W. *see* KRUYT, J.A.
ROGERS, H.J. *see* SWAIN, A.F.
ROLLMAN, O. and LÖÖF, L. Hepatic toxicity of ketoconazole (Correspondence), 376
ROVAGNATI, P. *see* CAINELLI, T.
ROWE, D. *see* MCMILLAN, E.M.
RUITER, D.J. *see* WILLEMZE, R.
RUOCCO, V., DE ANGELIS, E., DE LUCA, M., PISANI, M. and PROTA, G. Specific incorporation of [^{3}H]penicillamine into the epidermis of mice: an autoradiographic study, 441
RUSSELL, C. *see* CHU, A.C.
RUSSELL JONES, R. and SCHIFFERLI, J. Papular eruption with elimination of papillary oedema: immunopathological studies (Summary), 229
RUSSELL JONES, R., BHOGAL, B., DASH, A. and SCHIFFERLI, J. Ursticaria and vasculitis: a continuum of histological and immunopathological changes, 695
RUSTIN, M.H.A., CHAMBERS, T.J., LEVISON, D.A. and MUNRO, D.D. Merkel cell tumour: report of a case, 711
RYAN, T.J. *see* MORTIMER, P.S.
RYATT, K.S., FEATHER, J.W., MEHTA, A., DAWSON, J.B., COTTERILL, J.A. and SWALLOW, R. The stability and blanching efficiency of betamethasone-17-valerate in emulsifying ointment (Correspondence), 251

SALO, O. *see* LASSUS, A.
SAMMAN, P.D. *see* RETSAS, S.
SANDERSON, A.R. *see* HOLDEN, C.A.
SARKANY, I. and GAYLARDE, P.M. Pharmacological variability of crude coal tar (Correspondence), 628
SATHYA, A.S. *see* BARTON, S.
SAURAT, J.-H. Epidermal nuclear immunofluorescence (Correspondence), 504
SCHEFFER, E. *see* WILLEMZE, R.
SCHIFFERLI, J. *see* RUSSELL JONES, R.
SCHMITT, D. *see* CZERNIELEWSKI, J.M.
SCHRÖDER, J.-M. *see* WALSDORFER, U.
SCHROETER, A.L. *see* POWELL, F.C.
SCOTT, R.C. and DUGARD, P.H. Quantification of absorption through damaged skin (Summary), 239
SHARMA, S.C., MORTIMER, G., KENNEDY, S. and THOMSON, J. Secondary amyloidosis affecting the skin in arthropathic psoriasis, 205
SHELLEY, E.D. *see* SHELLEY, W.B.
SHELLEY, W.B. and SHELLEY, E.D. Farmyard pox: parapox virus infection in main, 725
SHUSTER, S. Skin collagen content (Correspondence), 737
SHUSTER, S. The mechanism of ultraviolet erythema (Correspondence, reply), 736
SHUSTER, S. *see* ALVES, A.
SHUSTER, S. *see* MCCORMACK, A.M.
SHUSTER, S. *see* MARSDEN, J.R.
SHUSTER, S. *see* SMITH, K.
SHUSTER, S. *see* WALTON, S.
SIMARD, J.-P. *see* PERSINGER, M.A.
SIMPSON, N.B. 'Open' comedones are closed (Summary), 228
SIMPSON, N.B. and MARTIN, A. Scalp surface lipid (Correspondence), 123
SINGER, K.H. *see* FRAKI, J.E.
SKERROW, C.J., BELL, C.M., HUNTER, I. and SKERROW, D. Altered patterns of actin distribution during normal and abnormal epidermal differentiation (Summary), 233
SKERROW, C.J. *see* BELL, C.M.
SKERROW, D. *see* SKERROW, C.J.
SMITH, C. *see* WRIGHT, S.
SMITH, G.N. *see* AUGUST, P.J.
SMITH, J.F. and BEVERIDGE, E.G. The application of phase-contrast and dark-field microscopy to the examination of ointments and creams (Summary), 229
SMITH, J.F., BEVERIDGE, E.G. and ORR, N.A. Dilution of betamethasone ointment (Correspondence), 248
SMITH, K., SHUSTER, S., WALTON, S. and RAWLINS, M.D. Characterization of the glucocorticoid receptor in human skin (Summary), 222
SMITH, N. *see* CHU, A.C.
SMITH, N.P. *see* YOUNG, A.R.

SMYTH, M.P. *see* KITSON, N.
SOHNLE, P.G., COLLINS-LECH, C. and HUHTA K.E. Class-specific antibodies in young and aged humans against organisms producing superficial fungal infections, 69
SPITTLE, M. *see* CHU, A.C.
STAMM, T. *see* LUBACH, D.
STAQUET, M.J. *see* VAN NESTE, D.
STARK, J.M. *see* ORMEROD, A.D.
STOLL, D.M., KING, L.E. and CHYTIL, F. Serum levels of retinol binding protein in patients with pityriasis rubra pilaris (Correspondence), 375
STRATIGOS, J. *see* HATZIS, J.
SU, W.P.D. *see* POWELL, F.C.
SUEHISA, S., TAGAMI, H., INOUE, F., MATSUMOTO, K. and YOSHIKUNI, K. Colchicine in the treatment of acute febrile neutrophilic dermatosis (Sweet's syndrome), 99
SUMMERLY, R. *see* FORSTER, S.
SWAIN, A.F., AHAD, R.A., ROGERS, H.J., LEONARD, J.N. and FRY, L. Pharmacokinetic observations on dapsone in dermatitis herpetiformis, 91
SWALLOW, R. *see* RYATT, K.S.

TAGAMI, H. *see* SUEHISA, S.
TAKAMORI, K., NAITO, K, TANEDA, A. and OGAWA, H. Increased neutral protease and collagenase activity in recessive dystrophic epidermolysis bullosa, 687
TALWAT, E. *see* HAY, R.J.
TANEDA, A. *see* TAKAMORI, K.
TAYLOR, J.R., HALPRIN, K.M., LEVINE, V. and WOODYARD, C. Effects of methotrexate *in vitro* on epidermal cell proliferation, 45
TENEKJIAN, K.K. *see* ZAYNOUN, S.T.
THE, T.H. *see* KRUYT, J.A.
THIVOLET, J. *see* CZERNIELEWSKI, J.M.
THIVOLET, J. *see* VAN NESTE, D.
THODY, A.J. *see* ALVES, A.
THODY, A.J. *see* MCCORMACK, A.M.
THOMAS, M.B. *see* MOUNTZ, J.D.
THOMSON, J. *see* SHARMA, S.C.
THORSBY, E. *see* BRAATHEN, L.R.
TIDMAN, M.J., EADY, R.A.J., BRASSEY, J.E.E. and CORBETT, M.F. Morphometric and adhesion studies on the normal human dermo-epidermal junction (Summary), 240
TIDMAN, M.J. *see* EADY, R.A.J.
TIDMAN, M.J. *see* LEIGH, I.M.
TOSCA, A. *see* HATZIS, J.
TUR, E., VARDINON, N., EYLAN, E., FRISCH, B., BRENNER, S., WEINBERG, M. and KRAKOWSKI, A. Alkaline phosphatase immuno-enzymatic technique in the diagnosis of pemphigus vulgaris, 77
TURNER, R. *see* MOUNTZ, J.D.

VAHLQUIST, C. *see* JUHLIN, L.
VAN CAUWENBERGE, D., PIERARD, G.E., FOIDART, J.M. and LAPIERE, CH.M. Immunohistochemical localization of laminin, type IV and type V collagen in basal cell carcinoma, 163
VAN DE KERKHOF, P.C.M. and VAN ERP, P.E.J. Calmodulin levels are grossly elevated in the psoriasis lesion, 217
VAN DE KERKHOF, P.C.M., VAN RENNES, H., DE GROOD, R., BAUER, F.W. and MIER, P.D. Metabolic changes at the margin of the spreading psoriatic lesion, 647
VAN DER LOOS, C.M. *see* JÖBSIS, A.C.
VAN DIJK, H.A. *see* VELDERS, A.J.
VAN ERP, P.E.J. *see* VAN DE KERKHOF, P.C.M.
VAN NESTE, D., STAQUET, M.J., VIAC, J., LACHAPELLE, J.M. and THIVOLET, J. A new way to evaluate the germinative compartment in human epidermis, using [^{3}H]thymidine incorporation and immunoperoxidase staining of 67 K polypeptide, 433
VAN OOSTVEEN, F. and VAN VOORST VADER, P.C. Subacute cutaneous lupus erythematosus with polyneuropathy (Case Report), 114
VAN RENNES, H. *see* VAN DE KERKHOF, P.C.M.
VAN SAENE, H.K.F. *see* DRIESSEN, L.H.H.M.
VAN VLOTEN, W.A. *see* WILLEMZE, R.
VAN SON, W. *see* KRAAI, E.J.
VAN VOORST VADER, P.C., DRIESSEN, L.H.H.M. and KALLENBERG, C.G.M. Basal cell naevus syndrome: immune status, etretinate therapy and etretinate hepatitis (Summary), 109
VAN VOORST VADER, P.C. *see* ENSINK, B.W.
VAN VOORST VADER, P.C. *see* KRAAI, E.J.
VAN VOORST VADER, P.C. *see* VAN OOSTVEEN, F.
VAN VOORST VADER, P.C. *see* VELDERS, A.J.
VARDINON, N. *see* TUR, E.
VARELZIDIS, A. *see* HATZIS, J.
VELDERS, A.J., DE JONG, M.C.J.M. and VAN VOORST VADER, P.C. Linear IgA dermatosis (Case Report), 116
VELDERS, A.J., KUIS, W., VAN DIJK, H.A., POPPEMA, S., ELEMA, J.D., KLOKKE, A.H. and VAN VOORST VADER, P.C. Omenn syndrome: familial reticulo-endotheliosis with eosinophilia and combined immunodeficiency (Case Report), 118
VIAC, J. *see* VAN NESTE, D.
VICKERS, C.F.H. *see* GEORGE, D.

WALLACE, M. *see* RENTOUL, J.R.
WALLINGTON, T. *see* WRIGHT, S.
WALSDORFER, U., CHRISTOPHERS, E. and SCHRÖDER, J.-M. Methotrexate inhibits polymorphonuclear leucocyte chemotaxis in psoriasis, 451
WALTON, C.A. and DASH, C.H. Dilution of betamethasone ointment (Correspondence), 250
WALTON, S., CHADWICK, L., KENDALL-TAYLOR, P. and SHUSTER, S. The effect of testosterone on maximal sweat rate in eunuchs (Summary), 245
WALTON, S., MACDONALD, K.J.S., MARKS, J. and CALLAGHAN, J. Trauma-induced bullae: the presenting feature of systemic amyloidosis associated with plasma cell dyscrasia (Correspondence), 628
WALTON, S. *see* SMITH, K.
WARIN, R.P. The role of trauma in the spreading weals of hereditary angio-oedema, 189
WASSERMAN, J. *see* KAAMAN, T.
WEINBURG, M. *see* TUR, E.
WELLS, R.S. *see* WOJNAROWSKA, F.T.
WEST, M.R., KENICER, K.J.A. *see* FAED, M.J.W. *In vitro* growth rates of epidermal cells derived from the skin of psoriatic patients and controls, 533

WESTERHOF, W. and BOS, J.D. Trigeminal trophic syndrome: a successful treatment with transcutaneous electrical stimulation, 601
WESTERMARK, P. *see* NORÉN, P.
WHITE, M.I., MCEWAN, JENKINSON, D. and LLOYD, D.H. Studies of the human stratum corneum (Summary), 238
WILKINSON, D.I. and ORENBERG, E.K. Adenylate cyclase activity during growth and maturation of keratinocytes: comparison of two methods of study, 541
WILLEMZE, R., DE GRAAFF-REITSMA C.B., VAN VLOTEN, W.A. and MEIJER, C.J.L.M. The cell population of cutaneous B-cell lymphomas, 395
WILLEMZE, R., SCHEFFER, E., RUITER, D.J., VAN VLOTEN, W.A. and MEIJER, C.J.L.M. Immunological, cytochemical and ultrastructural studies in lymphomatoid papulosis, 381
WILLIAMS, D.W. *see* DYKES, P.J.
WIMBERLY, J. *see* MORISON, W.L.
WOJNAROWSKA, F.T., EADY, R.A.J. and WELLS, R.S. Dystrophic epidermolysis bullosa presenting with congenital localized absence of skin: report of four cases, 477
WOOD, E.J. *see* BLADON, P.T.
WOODYARD, C. *see* TAYLOR, J.R.
WRIGHT, E.A. *see* IBRAHIM, L.
WRIGHT, R.M. *see* BLADON, P.T.
WRIGHT, S., SMITH, C., BOLTON, C., WALLINGTON, T. and BURTON, J.L. Dietary essential fatty acid supplements and atopic eczema (Summary), 230

YARDLEY, H.J. *see* FORSTER, S.
YATES, V.M., KERR, R.E.I. and MACKIE, R.M. Early diagnosis of infantile seborrhoeic dermatitis and atopic dermatitis—clinical features, 633
YATES, V.M., KERR, R.E.I., FRIER, K., COBB, S.J. and MACKIE, R.M. Early diagnosis of infantile seborrhoeic dermatitis and atopic dermatitis—total and specific IgE levels, 639
YOSHIKUNI, K. *see* SUEHISA, S.
YOUINOU, P., DORVAL, J.C., CLEDES, J., LEROY, J.P., MIOSSEC, P. and MASSE, R. A study of familial lupus erythematosus-like disease and hereditary angio-oedema treated with danazol, 717
YOUNG, A.R., MAGNUS, I.A., DAVIES, A.C. and SMITH, N.P. A comparison of the phototumorigenic potential of 8-MOP and 5-MOP in hairless albino mice exposed to solar stimulated radiation, 507
YOUNG, M.M. *see* BLOOMFIELD, F.J.
YOUNG, R.E. *see* RENTOUL, J.R.

ZACHARY, C.B. and MACDONALD, D.M. Quantitative analysis of T-lymphocyte subsets in atopic eczema, using monoclonal antibodies and flow cytofluorimetry, 411
ZACHARY, C.B., HORTON, J.J. and MACDONALD, D.M. Razoxane therapy of psoriasis: comparison of T-cell subpopulations using monoclonal antibodies in treated and untreated patients (Summary), 221
ZAYNOUN, S.T., AFTIMOS, B.G., TENEKJIAN, K.K., BAHUTH, N. and KURBAN, A.K. Extensive pityriasis alba: A histological, histochemical and ultrastructural study, 83
ZINA, A.M. and BUNDINO, S. Familial sea-blue histocytosis with cutaneous involvement. A case report with ultrastructural findings, 355
ZMOLEK, W.W., CHAO, W-R. and MILLER, J.P. Optimization of the hairless mouse screening model for antipsoriatic drugs, 25
ZONDLO, F. An open letter to physicians with physical impairment (Correspondence), 738